

Anti-Cardiac FABP Antibody

Catalog # ABO10662

### Specification

# Anti-Cardiac FABP Antibody - Product Information

ApplicationWB, IHC-P, IHC-FPrimary AccessionP05413HostRabbitReactivityHuman, Mouse, RatClonalityPolyclonalFormatLyophilizedDescriptionRabbit IgG polyclonal antibody for Fatty acid-binding protein, heart(FABP3) detection. Tested withWB, IHC-P, IHC-F in Human; Mouse; Rat.

**Reconstitution** Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

## Anti-Cardiac FABP Antibody - Additional Information

Gene ID 2170

**Other Names** Fatty acid-binding protein, heart, Fatty acid-binding protein 3, Heart-type fatty acid-binding protein, H-FABP, Mammary-derived growth inhibitor, MDGI, Muscle fatty acid-binding protein, M-FABP, FABP3, FABP11, MDGI

Calculated MW 14858 MW KDa

**Application Details** Immunohistochemistry(Paraffin-embedded Section), 0.5-1 μg/ml, Human, Mouse, Rat, By Heat<br> <br>Immunohistochemistry(Frozen Section), 0.5-1 μg/ml, Human, -<br>Western blot, 0.1-0.5 μg/ml, Human, Mouse, Rat<br>

Subcellular Localization Cytoplasm.

Protein Name Fatty acid-binding protein, heart

Contents

Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.

Immunogen

A synthetic peptide corresponding to a sequence at the C-terminus of human FABP3 (119-133aa THGTAVCTRTYEKEA), different from the related mouse and rat sequences by three amino acids.

Purification



Immunogen affinity purified.

**Cross Reactivity** No cross reactivity with other proteins

Storage

At -20°C for one year. After r°Constitution, at 4°C for one month. It°Can also be aliquotted and stored frozen at -20°C for a longer time.Avoid repeated freezing and thawing.

## **Anti-Cardiac FABP Antibody - Protein Information**

Name FABP3

Synonyms FABP11, MDGI

**Function** 

FABPs are thought to play a role in the intracellular transport of long-chain fatty acids and their acyl-CoA esters.

Cellular Location Cytoplasm.


## **Anti-Cardiac FABP Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- <u>Blocking Peptides</u>
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-Cardiac FABP Antibody - Images






Western blot analysis of Cardiac FABP expression in rat liver extract (lane 1), mouse cardiac muscle extract (lane 2), HELA whole cell lysates (lane 3) and MCF-7 whole cell lysates (lane 4). Cardiac FABP at 15KD was detected using rabbit anti- Cardiac FABP Antigen Affinity purified polyclonal antibody (Catalog # ABO10662) at 0.5  $\hat{1}/_4$ g/mL. The blot was developed using chemiluminescence (ECL) method.




Cardiac FABP was detected in paraffin-embedded sections of rat cardiac muscle tissues using rabbit anti- Cardiac FABP Antigen Affinity purified polyclonal antibody (Catalog # ABO10662) at 1  $\hat{l}_4$ g/mL. The immunohistochemical section was developed using SABC method .



Cardiac FABP was detected in paraffin-embedded sections of mouse skeletal muscletissues using rabbit anti- Cardiac FABP Antigen Affinity purified polyclonal antibody (Catalog # ABO10662) at 1  $\hat{l}_{4}$ g/mL. The immunohistochemical section was developed using SABC method .





Cardiac FABP was detected in paraffin-embedded sections of human intestinal cancer tissues using rabbit anti- Cardiac FABP Antigen Affinity purified polyclonal antibody (Catalog # ABO10662) at 1 ??g/mL. The immunohistochemical section was developed using SABC method .

## Anti-Cardiac FABP Antibody - Background

Heart-type fatty acid binding protein(hFABP) also known as mammary-derived growth inhibitor is a protein that in humans is encoded by the FABP3 gene. The intracellular fatty acid-binding proteins(FABPs) belongs to a multigene family. Fatty acid-binding protein 3 gene contains four exons and its function is to arrest growth of mammary epithelial cells. This gene is also a candidate tumor suppressor gene for human breast cancer. Cardiac-type fatty acid-binding protein(cFABP) from human heart muscle of three individuals was isolated and characterized as pl 5.3-cFABP.