

perilipin 3 / TIP47 (aa154-167) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF3907a**Specification****perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Product Information**

Application	WB, E
Primary Accession	O60664
Other Accession	NP_005808.3 , NP_001157661.1 , NP_001157666.1 , 10226
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	47075

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Additional Information**Gene ID** 10226**Other Names**

Perilipin-3, 47 kDa mannose 6-phosphate receptor-binding protein, 47 kDa MPR-binding protein, Cargo selection protein TIP47, Mannose-6-phosphate receptor-binding protein 1, Placental protein 17, PP17, PLIN3, M6PRBP1, TIP47

Dilution

WB~~1:1000

E~~N/A

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Protein Information**Name** PLIN3**Synonyms** M6PRBP1, TIP47 {ECO:0000303|PubMed:95901

Function

Structural component of lipid droplets, which is required for the formation and maintenance of lipid storage droplets (PubMed:34077757). Required for the transport of mannose 6-phosphate receptors (MPR) from endosomes to the trans-Golgi network (PubMed:9590177).


Cellular Location

Lipid droplet. Endosome membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasm. Note=Membrane associated on endosomes (PubMed:15545278). Detected in the envelope and the core of lipid bodies and in lipid sails (PubMed:15545278)

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Images

AF3907a (0.03 µg/ml) staining of HeLa (lane 1) and Human Colon cancer (lane two) lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - Background

This antibody is expected to recognize all reported isoforms (NP_005808.3; NP_001157661.1; NP_001157666.1).

perilipin 3 / TIP47 (aa154-167) Antibody (internal region) - References

TIP47 protects mitochondrial membrane integrity and inhibits oxidative-stress-induced cell death.
Hocsak E, Racz B, Szabo A, Mester L, Rapolti E, Pozsgai E, Javor S, Bellyei S, Gallyas F Jr, Sumegi B, Szigeti A. FEBS Lett. 2010 Jul 2;584(13):2953-60. PMID: 20556887