

alpha-1-antitrypsin (aa230-241) Antibody (internal region)
Peptide-affinity purified goat antibody
Catalog # AF4045a**Specification**

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Product Information

Application	WB, E
Primary Accession	P01009
Other Accession	NP_000286.3 , 5265
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Concentration	0.5 mg/ml
Isotype	IgG
Calculated MW	46737

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Additional Information**Gene ID** 5265**Other Names**

Alpha-1-antitrypsin, Alpha-1 protease inhibitor, Alpha-1-antiproteinase, Serpin A1, Short peptide from AAT, SPAAT, SERPINA1, AAT, PI

Dilution

WB~~1:1000

E~~N/A

Format

0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

alpha-1-antitrypsin (aa230-241) Antibody (internal region) is for research use only and not for use in diagnostic or therapeutic procedures.

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Protein Information**Name** SERPINA1 ([HGNC:8941](#))**Synonyms** AAT, PI**Function**

Inhibitor of serine proteases. Its primary target is elastase, but it also has a moderate affinity for

plasmin and thrombin. Irreversibly inhibits trypsin, chymotrypsin and plasminogen activator. The aberrant form inhibits insulin-induced NO synthesis in platelets, decreases coagulation time and has proteolytic activity against insulin and plasmin.

Cellular Location

Secreted. Endoplasmic reticulum. Note=The S and Z allele are not secreted effectively and accumulate intracellularly in the endoplasmic reticulum


Tissue Location

Ubiquitous. Expressed in leukocytes and plasma.

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Images

AF4045a (0.1 µg/ml) staining of Albumin-depleted Human Serum lysate (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - Background

Reported variants represent identical protein: NP_001121174.1, NP_001121179.1, NP_001121172.1, NP_001121177.1, NP_001121178.1, NP_001121176.1, NP_001121175.1, NP_000286.3, NP_001121173.1, NP_001002236.1, NP_001002235.1.

alpha-1-antitrypsin (aa230-241) Antibody (internal region) - References

Folding mechanism of the metastable serpin α_1 -antitrypsin. Tsutsui Y, Dela Cruz R, Wintrode PL.
Proc Natl Acad Sci U S A. 2012 Mar 20;109(12):4467-72. PMID: 22392975