

**KO-Validated Anti-HADH Mouse Monoclonal Antibody**  
**Mouse monoclonal antibody**  
**Catalog # AGI2425****Specification****KO-Validated Anti-HADH Mouse Monoclonal Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">Q16836</a>
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG2b
Calculated MW	Predicted, 34 kDa; observed, 30 kDa KDa
Gene Name	HADH
Aliases	HADH; Hydroxyacyl-CoA Dehydrogenase; SCHAD; HADHSC; HADH1; Medium And Short-Chain L-3-Hydroxyacyl-Coenzyme A Dehydrogenase; L-3-Hydroxyacyl-Coenzyme A Dehydrogenase, Short Chain; Hydroxyacyl-Coenzyme A Dehydrogenase, Mitochondrial; Short-Chain 3-Hydroxyacyl-CoA Dehydrogenase; EC 1.1.1.35; HCDH; HAD; Testis Secretory Sperm-Binding Protein Li 203a; Hydroxyacyl-Coenzyme A Dehydrogenase; EC 1.1.1; MSCHAD; HHF4; HAD1
Immunogen	Recombinant protein of human HADH

**KO-Validated Anti-HADH Mouse Monoclonal Antibody - Additional Information**

Gene ID	3033
<b>Other Names</b>	
Hydroxyacyl-coenzyme A dehydrogenase, mitochondrial, HCDH, 1.1.1.35, Medium and short-chain L-3-hydroxyacyl-coenzyme A dehydrogenase, Short-chain 3-hydroxyacyl-CoA dehydrogenase, HADH	

**KO-Validated Anti-HADH Mouse Monoclonal Antibody - Protein Information****Name** HADH**Function**

Mitochondrial fatty acid beta-oxidation enzyme that catalyzes the third step of the beta-oxidation cycle for medium and short-chain 3-hydroxy fatty acyl-CoAs (C4 to C10) (PubMed:<a href="http://www.uniprot.org/citations/10231530" target="\_blank">10231530</a>, PubMed:<a href="http://www.uniprot.org/citations/11489939" target="\_blank">11489939</a>, PubMed:<a href="http://www.uniprot.org/citations/16725361" target="\_blank">16725361</a>). Plays a role in the control of insulin secretion by inhibiting the activation of glutamate dehydrogenase 1 (GLUD1), an enzyme that has an important role in regulating amino acid-induced insulin secretion

(By similarity). Plays a role in the maintenance of normal spermatogenesis through the reduction of fatty acid accumulation in the testes (By similarity).

#### Cellular Location

Mitochondrion matrix

#### Tissue Location


Expressed in liver, kidney, pancreas, heart and skeletal muscle.

### KO-Validated Anti-HADH Mouse Monoclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### KO-Validated Anti-HADH Mouse Monoclonal Antibody - Images



Western blotting analysis using anti-HADH antibody (Cat#AGI2425). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-HADH antibody (Cat#AGI2425, 1:2,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.



Western blotting analysis using anti-HADH antibody (Cat#AGI2425). HADH expression in wild type (WT) and HADH knockout (KO) HeLa cells with 20 µg of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-HADH antibody (Cat#AGI2425, 1:2,000) and HRP-conjugated goat anti-mouse secondary antibody respectively.