

TBX6 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI10509**Specification**

TBX6 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O95947
Other Accession	NM_004608 , NP_004599
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 47kDa KDa

TBX6 antibody - N-terminal region - Additional Information**Gene ID** 6911**Other Names**

T-box transcription factor TBX6, T-box protein 6, TBX6

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-TBX6 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

TBX6 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TBX6 antibody - N-terminal region - Protein Information**Name** TBX6**Function**

T-box transcription factor that plays an essential role in the determination of the fate of axial stem cells: neural vs mesodermal. Acts in part by down-regulating, a specific enhancer (N1) of SOX2, to inhibit neural development. Seems to play also an essential role in left/right axis determination and acts through effects on Notch signaling around the node as well as through an effect on the morphology and motility of the nodal cilia (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00201}.


Tissue Location

Expressed in fetal tail bud, posterior spinal tissue, intervertebral disk and testis. Also expressed in adult testis, kidney, lung, muscle and thymus

TBX6 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TBX6 antibody - N-terminal region - Images**WB Suggested Anti-TBX6 Antibody**

Titration: 5 µg/ml

Positive Control: Placenta

TBX6 antibody - N-terminal region - References

Papapetrou, C., et al., (1999) Genomics 55 (2), 238-241
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.