

HNRPA1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11740**Specification**

HNRPA1 antibody - C-terminal region - Product Information

Application	WB, IHC
Primary Accession	Q6IPF2
Other Accession	NM_002136 , NP_002127
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Pig, Chimpanzee, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

HNRPA1 antibody - C-terminal region - Additional Information

Alias Symbol **HNRPA1, HNRPA1L3, hnRNP A1, hnRNP-A1**
Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-HNRPA1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


HNRPA1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HNRPA1 antibody - C-terminal region - Protein Information**HNRPA1 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HNRPA1 antibody - C-terminal region - Images



Paraffin Embedded Tissue: Human Intestine
Cellular Data: Epithelial cells of intestinal villas
Antibody Concentration: 4.0-8.0 $\mu\text{g/ml}$
Magnification: 400X



Rabbit Anti-HNRPA1 antibody
Paraffin Embedded Tissue: Human Lung cell
Cellular Data: alveolar cell of renal tubule
Antibody Concentration: 4.0-8.0 $\mu\text{g/ml}$
Magnification: 400X



WB Suggested Anti-HNRPA1 Antibody Titration: 1.25 $\mu\text{g/ml}$
ELISA Titer: 1:1562500
Positive Control: Jurkat cell lysate
HNRPA1 is strongly supported by BioGPS gene expression data to be expressed in Human Jurkat cells

HNRPA1 antibody - C-terminal region - References

Riva,S., (2005) J. Biol. Chem. 280 (13), 13171-13178
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.