

SLA antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11850**Specification**

SLA antibody - N-terminal region - Product Information

Application	WB, IHC
Primary Accession	A1A4F3
Other Accession	NM_153825 , NP_722547
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Horse, Bovine, Dog
Predicted Host	Human, Rat, Zebrafish, Chicken
Clonality	Rabbit
Calculated MW	Polyclonal 49kDa KDa

SLA antibody - N-terminal region - Additional Information

Alias Symbol **LP, SLA, PCH2D, SLA/LP**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SLA/LP antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SLA antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SLA antibody - N-terminal region - Protein Information**SLA antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SLA antibody - N-terminal region - Images



Rabbit Anti-SLA/LP Antibody
Paraffin Embedded Tissue: Human Kidney
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-SLA Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:312500
Positive Control: Jurkat cell lysate

SLA antibody - N-terminal region - References

Xu, X.M., (2005) J. Biol. Chem. 280 (50), 41568-41575 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.