

SARDH antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12004**Specification**

SARDH antibody - middle region - Product Information

Application	WB, IHC
Primary Accession	Q05BT1
Other Accession	NM_001134707 , AAH33217
Reactivity	Human, Mouse, Rat, Zebrafish, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Chicken, Horse, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 67kDa KDa

SARDH antibody - middle region - Additional Information

Alias Symbol	DMGDHL1, FLJ36475, SAR, SARD, SDH, BPR-2
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-SARDH antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SARDH antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

SARDH antibody - middle region - Protein Information**SARDH antibody - middle region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SARDH antibody - middle region - Images



Rabbit Anti-SARDH Antibody
Paraffin Embedded Tissue: Human Kidney
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 $\mu\text{g/ml}$
Magnification: 400X



WB Suggested Anti-SARDH Antibody Titration: 2.5 $\mu\text{g/ml}$
Positive Control: HepG2 cell lysate
SARDH is supported by BioGPS gene expression data to be expressed in HepG2