

TBX15 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12836**Specification**

TBX15 antibody - C-terminal region - Product Information

Application	WB, IHC
Primary Accession	Q5JT54
Other Accession	NM_152380 , NP_689593
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Zebrafish, Pig, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	55kDa KDa

TBX15 antibody - C-terminal region - Additional Information

Alias Symbol **TBX14**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-TBX15 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TBX15 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

TBX15 antibody - C-terminal region - Protein Information**TBX15 antibody - C-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TBX15 antibody - C-terminal region - Images



Human kidney



WB Suggested Anti-TBX15 Antibody Titration: 1.25µg/ml
Positive Control: Jurkat cell lysate

TBX15 antibody - C-terminal region - References

Agulnik, S.I., (1998) Genomics 51(1), 68-75 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.