

B2M / Beta 2 Microglobulin Antibody (clone B2M-01)
Mouse Monoclonal Antibody
Catalog # ALS11975**Specification**

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Product Information

Application	WB, IHC-P, E, IP, RIA, FC
Primary Accession	P61769
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	14kDa KDa
Dilution	WB~~1:1000 IHC-P~~N/A E~~N/A IP~~N/A RIA~~N/A FC~~1:10~50

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Additional Information**Gene ID** 567**Other Names**

Beta-2-microglobulin, Beta-2-microglobulin form pl 5.3, B2M

Target/Specificity

Purified human beta2-microglobulin

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Precautions

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) is for research use only and not for use in diagnostic or therapeutic procedures.

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Protein Information**Name** B2M ([HGNC:914](#))**Function**

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system. Exogenously applied M.tuberculosis EsxA or EsxA-EsxB (or EsxA expressed in host) binds B2M and decreases its export to the cell surface (total protein levels do not change), probably leading to defects in class I antigen presentation (PubMed:25356553).

Cellular Location


Secreted. Cell surface. Note=Detected in serum and urine (PubMed:1336137, PubMed:7554280).
{ECO:0000269|PubMed:7554280, ECO:0000269|Ref.6}

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Images



Anti-B2M antibody IHC of human kidney.

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - Background

Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system.

B2M / Beta 2 Microglobulin Antibody (clone B2M-01) - References

Guessow D.,et al.J. Immunol. 139:3132-3138(1987).
He X.H.,et al.Sheng Wu Gong Cheng Xue Bao 20:99-103(2004).
Matsumoto K.,et al.Submitted (DEC-1998) to the EMBL/GenBank/DDBJ databases.
Tan J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Zhao Z.,et al.Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.