10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

DNMT / DNMT1 Antibody (Internal)

Goat Polyclonal Antibody
Catalog # ALS13338

Specification

DNMT / DNMT1 Antibody (Internal) - Product Information

Application	**WB, IHC-P, E**
Primary Accession	P26358
Reactivity	**Human, Mouse, Rat, Rabbit, Monkey, Pig, Sheep, Horse, Bovine, Dog**
Host	**Goat**
Clonality	**Polyclonal**
Calculated MW	**183kDa KDa**
Dilution	**WB~~1:1000** **IHC-P~~N/A** **E~~N/A**

DNMT / DNMT1 Antibody (Internal) - Additional Information

Gene ID 1786

Other Names
DNA (cytosine-5)-methyltransferase 1, Dnmt1, 2.1.1.37, CXXC-type zinc finger protein 9, DNA methyltransferase HsaI, DNA MTase HsaI, M.HsaI, MCMT, DNMT1, AIM, CXXC9, DNMT

Target/Specificity
Human DNMT1.

Reconstitution & Storage
Store at -20°C. Minimize freezing and thawing.

Precautions
DNMT / DNMT1 Antibody (Internal) is for research use only and not for use in diagnostic or therapeutic procedures.

DNMT / DNMT1 Antibody (Internal) - Protein Information

Name DNMT1

Synonyms AIM, CXXC9, DNMT

Function
Methylates CpG residues. Preferentially methylates hemimethylated DNA. Associates with DNA replication sites in S phase maintaining the methylation pattern in the newly synthesized strand, that is essential for epigenetic inheritance. Associates with chromatin during G2 and M phases to maintain DNA methylation independently of replication. It is responsible for maintaining methylation patterns established in development. DNA methylation is coordinated with methylation of histones. Mediates transcriptional repression by direct binding to HDAC2. In

association with DNMT3B and via the recruitment of CTCFL/BORIS, involved in activation of BAG1 gene expression by modulating dimethylation of promoter histone H3 at H3K4 and H3K9. Probably forms a corepressor complex required for activated KRAS- mediated promoter hypermethylation and transcriptional silencing of tumor suppressor genes (TSGs) or other tumor-related genes in colorectal cancer (CRC) cells (PubMed:24623306). Also required to maintain a transcriptionally repressive state of genes in undifferentiated embryonic stem cells (ESCs) (PubMed:24623306). Associates at promoter regions of tumor suppressor genes (TSGs) leading to their gene silencing (PubMed:24623306). Promotes tumor growth (PubMed:24623306).

Cellular Location
Nucleus. Note=Localized to the perinucleolar region.

Tissue Location
Ubiquitous; highly expressed in fetal tissues, heart, kidney, placenta, peripheral blood mononuclear cells, and expressed at lower levels in spleen, lung, brain, small intestine, colon, liver, and skeletal muscle. Isoform 2 is less expressed than isoform 1.

DNMT / DNMT1 Antibody (Internal) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

DNMT / DNMT1 Antibody (Internal) - Images

Antibody (0.5 ug/ml) staining of Jurkat cell lysate (35 ug protein in RIPA buffer).

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Anti-DNMT1 antibody IHC of human kidney.

DNMT / DNMT1 Antibody (Internal) - Background

Methylates CpG residues. Preferentially methylates hemimethylated DNA. Associates with DNA replication sites in S phase maintaining the methylation pattern in the newly synthesized strand, that is essential for epigenetic inheritance. Associates with chromatin during G2 and M phases to maintain DNA methylation independently of replication. It is responsible for maintaining methylation patterns established in development. DNA methylation is coordinated with methylation of histones. Mediates transcriptional repression by direct binding to HDAC2. In association with DNMT3B and via the recruitment of CTCFL/BORIS, involved in activation of BAG1 gene expression by modulating dimethylation of promoter histone H3 at H3K4 and H3K9.

DNMT / DNMT1 Antibody (Internal) - References

Yen R.-W.C.,et al.Nucleic Acids Res. 20:2287-2291(1992).
Yoder J.A.,et al.J. Biol. Chem. 271:31092-31097(1996).
Li L.C.,et al.Submitted (AUG-1999) to the EMBL/GenBank/DDBJ databases.
Grimwood J.,et al.Nature 428:529-535(2004).
Hsu D.-W.,et al.Proc. Natl. Acad. Sci. U.S.A. 96:9751-9756(1999).