

NPPA / ANP Antibody (C-Terminus)
Goat Polyclonal Antibody
Catalog # ALS15863**Specification**

NPPA / ANP Antibody (C-Terminus) - Product Information

Application	WB, IHC-P, E
Primary Accession	P01160
Reactivity	Human, Mouse, Rat, Rabbit, Hamster, Monkey, Sheep, Horse, Bovine, Dog
Host	Goat
Clonality	Polyclonal
Calculated MW	17kDa KDa
Dilution	WB~~1:1000 IHC-P~~N/A E~~N/A

NPPA / ANP Antibody (C-Terminus) - Additional Information**Gene ID** 4878**Other Names**

Natriuretic peptides A, CDD-ANF, Cardiodilatin, CDD, Cardiodilatin-related peptide, CDP, Prepronatriodilatin, Atrial natriuretic factor, ANF, Atrial natriuretic peptide, ANP, NPPA, ANP, PND

Target/Specificity

Human NPPA. The immunizing peptide represents aa137-150 of the precursor NPPA.

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

NPPA / ANP Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

NPPA / ANP Antibody (C-Terminus) - Protein Information**Name** NPPA**Synonyms** ANP, PND**Function**

[Atrial natriuretic peptide]: Hormone that plays a key role in mediating cardio-renal homeostasis, and is involved in vascular remodeling and regulating energy metabolism (PubMed:15741263, PubMed:16875975, PubMed:18835931, PubMed:21672517, PubMed:<a

[22307324](http://www.uniprot.org/citations/22307324), PubMed: [2532366](http://www.uniprot.org/citations/2532366), PubMed: [2825692](http://www.uniprot.org/citations/2825692), PubMed: [7595132](http://www.uniprot.org/citations/7595132), PubMed: [7720651](http://www.uniprot.org/citations/7720651), PubMed: [8087923](http://www.uniprot.org/citations/8087923), PubMed: [8653797](http://www.uniprot.org/citations/8653797)). Acts by specifically binding and stimulating NPR1 to produce cGMP, which in turn activates effector proteins, such as PRKG1, that drive various biological responses (PubMed: [1660465](http://www.uniprot.org/citations/1660465), PubMed: [1672777](http://www.uniprot.org/citations/1672777), PubMed: [21098034](http://www.uniprot.org/citations/21098034), PubMed: [2162527](http://www.uniprot.org/citations/2162527), PubMed: [22307324](http://www.uniprot.org/citations/22307324), PubMed: [25401746](http://www.uniprot.org/citations/25401746), PubMed: [2825692](http://www.uniprot.org/citations/2825692), PubMed: [7720651](http://www.uniprot.org/citations/7720651), PubMed: [8384600](http://www.uniprot.org/citations/8384600), PubMed: [9893117](http://www.uniprot.org/citations/9893117)). Regulates vasodilation, natriuresis, diuresis and aldosterone synthesis and is therefore essential for regulating blood pressure, controlling the extracellular fluid volume and maintaining the fluid-electrolyte balance (PubMed: [2532366](http://www.uniprot.org/citations/2532366), PubMed: [2825692](http://www.uniprot.org/citations/2825692), PubMed: [7595132](http://www.uniprot.org/citations/7595132), PubMed: [7720651](http://www.uniprot.org/citations/7720651), PubMed: [8087923](http://www.uniprot.org/citations/8087923), PubMed: [8653797](http://www.uniprot.org/citations/8653797)). Also involved in inhibiting cardiac remodeling and cardiac hypertrophy by inducing cardiomyocyte apoptosis and attenuating the growth of cardiomyocytes and fibroblasts (PubMed: [16875975](http://www.uniprot.org/citations/16875975)). Plays a role in female pregnancy by promoting trophoblast invasion and spiral artery remodeling in uterus, and thus prevents pregnancy-induced hypertension (By similarity). In adipose tissue, acts in various cGMP- and PKG-dependent pathways to regulate lipid metabolism and energy homeostasis (PubMed: [15741263](http://www.uniprot.org/citations/15741263), PubMed: [18835931](http://www.uniprot.org/citations/18835931), PubMed: [21672517](http://www.uniprot.org/citations/21672517), PubMed: [22307324](http://www.uniprot.org/citations/22307324)). This includes up-regulating lipid metabolism and mitochondrial oxygen utilization by activating the AMP-activated protein kinase (AMPK), and increasing energy expenditure by acting via MAPK11 to promote the UCP1-dependent thermogenesis of brown adipose tissue (PubMed: [15741263](http://www.uniprot.org/citations/15741263), PubMed: [18835931](http://www.uniprot.org/citations/18835931), PubMed: [21672517](http://www.uniprot.org/citations/21672517), PubMed: [22307324](http://www.uniprot.org/citations/22307324)). Binds the clearance receptor NPR3 which removes the hormone from circulation (PubMed: [1672777](http://www.uniprot.org/citations/1672777)).

Cellular Location

[Long-acting natriuretic peptide]: Secreted. Note=Detected in blood. [Kaliuretic peptide]: Secreted. Note=Detected in blood [Atrial natriuretic peptide]: Secreted. Perikaryon. Cell projection. Note=Detected in blood (PubMed:15741263, PubMed:18835931, PubMed:2532366, PubMed:7955907, PubMed:7984506, PubMed:8351194, PubMed:8653797, PubMed:8779891). Detected in urine in one study (PubMed:8351194). However, in another study, was not detected in urine (PubMed:7984506). Detected in cytoplasmic bodies and neuronal processes of pyramidal neurons (layers II-VI) (PubMed:30534047) Increased secretion in response to the vasopressin AVP (By similarity) Likely to be secreted in response to an increase in atrial pressure or atrial stretch

(PubMed:2532366). In kidney cells, secretion increases in response to activated guanylyl cyclases and increased intracellular cAMP levels (PubMed:9893117). Plasma levels increase 15 minutes after a high-salt meal, and decrease back to normal plasma levels 1 hr later (PubMed:8779891). {ECO:0000250|UniProtKB:P01161, ECO:0000269|PubMed:15741263, ECO:0000269|PubMed:18835931, ECO:0000269|PubMed:2532366, ECO:0000269|PubMed:30534047, ECO:0000269|PubMed:7955907, ECO:0000269|PubMed:7984506, ECO:0000269|PubMed:8351194, ECO:0000269|PubMed:8653797, ECO:0000269|PubMed:8779891, ECO:0000269|PubMed:9893117}

Tissue Location


[Urodilatin]: Detected in the kidney distal tubular cells (at protein level) (PubMed:8384600, PubMed:9794555). Present in urine (at protein level) (PubMed:2972874, PubMed:8351194, PubMed:8779891, PubMed:9794555).

NPPA / ANP Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NPPA / ANP Antibody (C-Terminus) - Images



Anti-NPPA / ANP antibody IHC staining of human heart.



NPPA antibody (0.01 ug/ml) staining of Mouse Heart lysate (35 ug protein in RIPA buffer).

NPPA / ANP Antibody (C-Terminus) - Background

Hormone playing a key role in cardiovascular homeostasis through regulation of natriuresis, diuresis, and vasodilation. Also plays a role in female pregnancy by promoting trophoblast invasion and spiral artery remodeling in uterus. Specifically binds and stimulates the cGMP production of the NPR1 receptor. Binds the clearance receptor NPR3.

NPPA / ANP Antibody (C-Terminus) - References

Oikawa S.,et al.Nature 309:724-726(1984).
Nakayama K.,et al.Nature 310:699-701(1984).
Nemer M.,et al.Nature 312:654-656(1984).
Greenberg B.D.,et al.Nature 312:656-658(1984).
Seidman C.E.,et al.Science 226:1206-1209(1984).