

**TNFSF4 / OX40L Antibody (C-Terminus)**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS16748****Specification**

---

**TNFSF4 / OX40L Antibody (C-Terminus) - Product Information**

|                   |                                                    |
|-------------------|----------------------------------------------------|
| Application       | WB, IHC-P, IF, E                                   |
| Primary Accession | <a href="#">P23510</a>                             |
| Other Accession   | <a href="#">7292</a>                               |
| Reactivity        | Human, Mouse, Rat                                  |
| Host              | Rabbit                                             |
| Clonality         | Polyclonal                                         |
| Isotype           | IgG                                                |
| Calculated MW     | 21050                                              |
| Dilution          | WB~~1:1000<br>IHC-P~~N/A<br>IF~~1:50~200<br>E~~N/A |

**TNFSF4 / OX40L Antibody (C-Terminus) - Additional Information****Gene ID** 7292**Other Names**

TNFSF4, CD134 ligand, CD134L, CD252 antigen, Glycoprotein Gp34, OX-40L, OX40 ligand, TXGP1, OX40L, OX4OL, CD252, gp34, OX40 antigen ligand

**Target/Specificity**

At least two isoforms of TNFSF4 are known to exist; this antibody will detect both isoforms.

**Reconstitution & Storage**

PBS, 0.02% sodium azide. Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.

**Precautions**

TNFSF4 / OX40L Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

**TNFSF4 / OX40L Antibody (C-Terminus) - Protein Information****Name** TNFSF4**Synonyms** TXGP1**Function**

Cytokine that binds to TNFRSF4. Co-stimulates T-cell proliferation and cytokine production.


**Cellular Location**

Membrane; Single-pass type II membrane protein.


**TNFSF4 / OX40L Antibody (C-Terminus) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**TNFSF4 / OX40L Antibody (C-Terminus) - Images**

Anti-TNFSF4 / OX40L antibody IHC staining of human liver.



Immunofluorescence of TNFSF4 in human spleen tissue with TNFSF4 antibody at 20 ug/ml.



Western blot analysis of TNFSF4 in rat spleen tissue lysate with TNFSF4 antibody at (A) 0.5 and...

#### **TNFSF4 / OX40L Antibody (C-Terminus) - Background**

Cytokine that binds to TNFRSF4. Co-stimulates T-cell proliferation and cytokine production.

#### **TNFSF4 / OX40L Antibody (C-Terminus) - References**

- Miura S.,et al.Mol. Cell. Biol. 11:1313-1325(1991).
- Godfrey W.R.,et al.J. Exp. Med. 180:757-762(1994).
- Ota T.,et al.Nat. Genet. 36:40-45(2004).
- Gregory S.G.,et al.Nature 441:315-321(2006).
- Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.