

APCS / Serum Amyloid P / SAP Antibody
Rabbit Polyclonal Antibody
Catalog # ALS17080**Specification**

APCS / Serum Amyloid P / SAP Antibody - Product Information

Application	WB, IHC-P
Primary Accession	P02743
Other Accession	325
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	25387
Dilution	WB~~1:1000 IHC-P~~N/A

APCS / Serum Amyloid P / SAP Antibody - Additional Information**Gene ID** 325**Other Names**

APCS, 9.5S alpha-1-glycoprotein, Amyloid P component, serum, Pentaxin-related, PTX2, Serum Amyloid P, Serum amyloid P-component, SAP

Target/Specificity

Human APCS / Serum Amyloid P / SAP

Reconstitution & Storage

PBS, pH 7.3, 0.02% sodium azide, 50% glycerol. Long term: -80°C; Short term: -20°C. Avoid freeze-thaw cycles.

Precautions

APCS / Serum Amyloid P / SAP Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

APCS / Serum Amyloid P / SAP Antibody - Protein Information**Name** APCS**Synonyms** PTX2**Function**

Can interact with DNA and histones and may scavenge nuclear material released from damaged circulating cells. May also function as a calcium-dependent lectin.

Cellular Location

Secreted.

Tissue Location

Found in serum and urine.


Volume

50 μ l


APCS / Serum Amyloid P / SAP Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

APCS / Serum Amyloid P / SAP Antibody - Images


Human Testis: Formalin-Fixed, Paraffin-Embedded (FFPE)



Human Liver: Formalin-Fixed, Paraffin-Embedded (FFPE)



Immunofluorescence analysis of HeLa cells using APCS antibody. Blue: DAPI.



Western blot analysis of extracts of various cell lines, using APCS antibody.

APCS / Serum Amyloid P / SAP Antibody - Background

Can interact with DNA and histones and may scavenge nuclear material released from damaged circulating cells. May also function as a calcium-dependent lectin.

APCS / Serum Amyloid P / SAP Antibody - References

- Mantzouranis E.C., et al. J. Biol. Chem. 260:7752-7756(1985).
Ohnishi S., et al. J. Biochem. 100:849-858(1986).
Kalnina N., et al. Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Ebert L., et al. Submitted (MAY-2004) to the EMBL/GenBank/DDBJ databases.
Gregory S.G., et al. Nature 441:315-321(2006).