

FLAG Tag Antibody
Purified Mouse Monoclonal Antibody (Mab)
Catalog # AM8495b

Specification

FLAG Tag Antibody - Product Information

Application	WB,E
Primary Accession	unknow
Host	Mouse
Clonality	monoclonal
Isotype	IgG1, κ

FLAG Tag Antibody - Additional Information

Target/Specificity

KLH conjugated synthetic peptide encoding HA tag (DYKDDDDKC) was used as antigen.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FLAG Tag Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

FLAG Tag Antibody - Protein Information


FLAG Tag Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

FLAG Tag Antibody - Images



Anti-FLAG Tag Antibody at 1:2000 dilution + 12tag protein lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 48 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

FLAG Tag Antibody - Citations

- [NDNF inhibits the migration and invasion of human renal cancer cells through epithelial-mesenchymal transition.](#)