

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody

Our Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody primary antibody from PhosphoSolut
Catalog # AN1343

Specification

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody - Product Information

Application WB
Primary Accession P09543

Reactivity Bovine, Chicken

Host Goat Clonality Polyclonal

Isotype IgG
Calculated MW 47579

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody - Additional Information

Gene ID 1267

Other Names

2" antibody, 2'3' cyclic nucleotide 3' phosphodiesterase antibody, 3"-cyclic-nucleotide 3"-phosphodiesterase antibody, CN37_HUMAN antibody, CNP 1 antibody, CNP antibody, CNP1 antibody, CNPase antibody

Target/Specificity

2,3-cyclic nucleotide-3-phosphodiesterase (CNP) is a membrane bound, microtubule associated protein that is among the most abundant myelin proteins of the CNS. It is thought that CNP may serve as a regulator of tubulin polymerization and of microtubule distribution (Bifulco et al., 2002). It was recently found that CNP may also function as a possible linker protein anchoring microtubules to the plasma membrane via a 13 residue C-terminal CNP fragment (Bifulco et al., 2002, Esposito et al., 2008).

Dilution

WB~~1:1000

Format

Affinity Purified

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Shipping

Blue Ice




Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody - Images



Immunostaining of mouse striatum showing specific labeling of CNP in myelinating oligodendrocytes (Cat.



Western blot of rat hippocampal lysate showing the specific immunolabeling of the \sim 46 kDa CNP protein.

Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody - Background





2,3-cyclic nucleotide-3-phosphodiesterase (CNP) is a membrane bound, microtubule associated protein that is among the most abundant myelin proteins of the CNS. It is thought that CNP may serve as a regulator of tubulin polymerization and of microtubule distribution (Bifulco et al., 2002). It was recently found that CNP may also function as a possible linker protein anchoring microtubules to the plasma membrane via a 13 residue C-terminal CNP fragment (Bifulco et al., 2002, Esposito et al., 2008).

abcepta