

CER1 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO1322a

Specification

CER1 Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Isotype Calculated MW **Description**

WB, IHC, E <u>095813</u> Human Mouse Monoclonal IgG1 30kDa KDa

CER1: cerberus 1, cysteine knot superfamily, homolog (Xenopus laevis). Ii is a cytokine member of the cysteine knot superfamily, characterized by nine conserved cysteines and a cysteine knot region. The cerberus-related cytokines, together with Dan and DRM/Gremlin, represent a group of bone morphogenetic protein (BMP) antagonists that can bind directly to BMPs and inhibit their activity.

Immunogen Purified recombinant fragment of human CER1 expressed in E. Coli.

Formulation Ascitic fluid containing 0.03% sodium azide.

CER1 Antibody - Additional Information

Gene ID 9350

Other Names Cerberus, Cerberus-related protein, DAN domain family member 4, CER1, DAND4

Dilution WB~~1/500 - 1/2000 IHC~~1/200 - 1/1000 E~~N/A

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions CER1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

CER1 Antibody - Protein Information



Name CER1

Synonyms DAND4

Function

Cytokine that may play a role in anterior neural induction and somite formation during embryogenesis in part through a BMP- inhibitory mechanism. Can regulate Nodal signaling during gastrulation as well as the formation and patterning of the primitive streak (By similarity).

Cellular Location Secreted.

CER1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

CER1 Antibody - Images




Figure 1: Western blot analysis using CER1 mouse mAb against CER1 (aa18-267)-hlgGFc transfected HEK293 cell lysate (1).






Figure 2: Immunohistochemical analysis of paraffin-embedded human gastric cancer (left) and normal gastric tissues (right) using CER1 mouse mAb with DAB staining.




Figure 3: Flow cytometric analysis of Hela cells using Metadherin mouse mAb (green) and negative control (purple).

CER1 Antibody - References

1. Dev Biol. 1998 Feb 15;194(2):135-51. 2. Growth Factors. 2004 Dec;22(4):233-41. 3. PLoS One. 2009;4(4):e5302.