

Notch3 Antibody

Purified Mouse Monoclonal Antibody Catalog # AO2162a

Specification

Notch3 Antibody - Product Information

Application

Primary Accession

Reactivity

Host

Clonality

Isotype

Calculate of ANY

Application

WB, E

O9UM47

Human

Mouse

Mouse

Monoclonal

IgG2a

Calculated MW 243.6kDa KDa

Description

This gene encodes the third discovered human homologue of the Drosophilia melanogaster type I membrane protein notch. In Drosophilia, notch interaction with its cell-bound ligands (delta, serrate) establishes an intercellular signalling pathway that plays a key role in neural development. Homologues of the notch-ligands have also been identified in human, but precise interactions between these ligands and the human notch homologues remains to be determined. Mutations in NOTCH3 have been identified as the underlying cause of cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL).

Immunogen

Purified recombinant fragment of human Notch3 (AA: 47-156) expressed in E. Coli.

Formulation

Purified antibody in PBS with 0.05% sodium azide

Notch3 Antibody - Additional Information

Gene ID 4854

Other Names

Neurogenic locus notch homolog protein 3, Notch 3, Notch 3 extracellular truncation, Notch 3 intracellular domain, NOTCH3

Dilution

WB~~1/500 - 1/2000 E~~1/10000

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Notch3 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Notch3 Antibody - Protein Information



Name NOTCH3

Function

Functions as a receptor for membrane-bound ligands Jagged1, Jagged2 and Delta1 to regulate cell-fate determination (PubMed:15350543). Upon ligand activation through the released notch intracellular domain (NICD) it forms a transcriptional activator complex with RBPJ/RBPSUH and activates genes of the enhancer of split locus. Affects the implementation of differentiation, proliferation and apoptotic programs (By similarity).

Cellular Location

Cell membrane; Single-pass type I membrane protein

Tissue Location

Ubiquitously expressed in fetal and adult tissues.

Notch3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture