

K Cadherin (CDH6) Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP1415a

Specification

K Cadherin (CDH6) Antibody (N-term) - Product Information

Application WB,E
Primary Accession P55285

Other Accession P55280, P97326, Q3SWX5

Reactivity Human

Predicted Bovine, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 61-89

K Cadherin (CDH6) Antibody (N-term) - Additional Information

Gene ID 1004

Other Names

Cadherin-6, Kidney cadherin, K-cadherin, CDH6

Target/Specificity

This K Cadherin (CDH6) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 61-89 amino acids from the N-terminal region of human K Cadherin (CDH6).

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

K Cadherin (CDH6) Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

K Cadherin (CDH6) Antibody (N-term) - Protein Information

Name CDH6





Tel: 858.875.1900 Fax: 858.875.1999

Function Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types.

Cellular Location

Cell membrane; Single-pass type I membrane protein

Tissue Location


Highly expressed in brain, cerebellum, and kidney. Lung, pancreas, and gastric mucosa show a weak expression. Also expressed in certain liver and kidney carcinomas

K Cadherin (CDH6) Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

K Cadherin (CDH6) Antibody (N-term) - Images



CDH6 Antibody (N-term) (Cat.#AP1415a) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the CDH6 antibody detected the CDH6 protein (arrow).





All lanes : Anti-CDH6 Antibody (N-term) at 1:1000 dilution Lane 1: HCT116 whole cell lysate Lane 2: HepG2 whole cell lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 88 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

K Cadherin (CDH6) Antibody (N-term) - Background

CDH6 is a type II classical cadherin from the cadherin superfamily. It is a calcium dependent cell-cell adhesion membrane glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail. Cadherins mediate cell-cell binding in a homophilic manner, contributing to the sorting of heterogeneous cell types and the maintenance of orderly structures such as epithelium. Strong transcriptional expression of the CDH6 gene has been observed in hepatocellular and renal carcinoma cell lines, suggesting a possible role in metastasis and invasion.

K Cadherin (CDH6) Antibody (N-term) - References

Liu, T., J. Proteome Res. 4 (6), 2070-2080 (2005) Shimoyama, Y., Biochem. J. 349 (PT 1), 159-167 (2000) Shimoyama, Y., J. Biol. Chem. 274 (17), 11987-11994 (1999)

K Cadherin (CDH6) Antibody (N-term) - Citations

• Generation of induced pluripotent stem cells from human renal proximal tubular cells with only two transcription factors, OCT4 and SOX2.