

HRH1 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14425c

Specification

HRH1 Antibody (Center) - Product Information

Application	IHC-P, WB,E
Primary Accession	P35367
Other Accession	NP_000852.1 , NP_001091682.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	55784
Antigen Region	273-301

HRH1 Antibody (Center) - Additional Information

Gene ID 3269

Other Names

Histamine H1 receptor, H1R, HH1R, HRH1

Target/Specificity

This HRH1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 273-301 amino acids from the Central region of human HRH1.

Dilution

IHC-P~1:10~50

WB~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

HRH1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

HRH1 Antibody (Center) - Protein Information

Name HRH1 ([HGNC:5182](#))

Function G-protein-coupled receptor for histamine, a biogenic amine that functions as an immune modulator and a neurotransmitter (PubMed:[33828102](#), PubMed:[8280179](#)). Through the H1 receptor, histamine mediates the contraction of smooth muscles and increases capillary permeability due to contraction of terminal venules. Also mediates neurotransmission in the central nervous system and thereby regulates circadian rhythms, emotional and locomotor activities as well as cognitive functions (By similarity).

Cellular Location


Cell membrane; Multi-pass membrane protein

HRH1 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HRH1 Antibody (Center) - Images



HRH1 Antibody (Center) (Cat. #AP14425c) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the HRH1 antibody detected the HRH1 protein (arrow).



HRH1 Antibody (Center) (AP14425c) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of HRH1 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

HRH1 Antibody (Center) - Background

Histamine is a ubiquitous messenger molecule released from mast cells, enterochromaffin-like cells, and neurons. Its various actions are mediated by histamine receptors H1, H2, H3 and H4. This gene was thought to be intronless until recently. The protein encoded by this gene is an integral membrane protein and belongs to the G protein-coupled receptor superfamily. It mediates the contraction of smooth muscles, the increase in capillary permeability due to contraction of terminal venules, the release of catecholamine from adrenal medulla, and neurotransmission in the central nervous system. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq].

HRH1 Antibody (Center) - References

Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)
Ruano, G., et al. Pharmacogenomics 11(7):959-971(2010)
Davila, S., et al. Genes Immun. 11(3):232-238(2010)
Notcovich, C., et al. Exp. Cell Res. 316(3):401-411(2010)
Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009)

HRH1 Antibody (Center) - Citations

- [Histamine deficiency aggravates cardiac injury through miR-206/216b-Atg13 axis-mediated autophagic-dependant apoptosis.](#)