

CTF1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14905B

Specification

CTF1 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW Antigen Region IHC-P, FC, WB,E <u>O16619</u> <u>NP_001321.1, NP_001136016.1</u> Human Rabbit Polyclonal Rabbit IgG 21227 166-194

CTF1 Antibody (C-term) - Additional Information

Gene ID 1489

Other Names Cardiotrophin-1, CT-1, CTF1

Target/Specificity

This CTF1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 166-194 amino acids from the C-terminal region of human CTF1.

Dilution IHC-P~~1:10~50 FC~~1:10~50 WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CTF1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CTF1 Antibody (C-term) - Protein Information

Name CTF1



Function Induces cardiac myocyte hypertrophy in vitro. Binds to and activates the ILST/gp130 receptor.

Cellular Location Secreted.


Tissue Location

Highly expressed in heart, skeletal muscle, prostate and ovary. Lower levels in lung, kidney, pancreas, thymus, testis and small intestine. Little or no expression in brain, placenta, liver, spleen, colon or peripheral blood leukocytes

CTF1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>
- CTF1 Antibody (C-term) Images




CTF1 Antibody (C-term) (Cat. #AP14905b) western blot analysis in K562 cell line lysates (35ug/lane).This demonstrates the CTF1 antibody detected the CTF1 protein (arrow).





CTF1 Antibody (C-term) (AP14905b)immunohistochemistry analysis in formalin fixed and paraffin embedded human heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of CTF1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



CTF1 Antibody (C-term) (Cat. #AP14905b) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated donkey-anti-rabbit secondary antibodies were used for the analysis.

CTF1 Antibody (C-term) - Background

The protein encoded by this gene is a secreted cytokine that induces cardiac myocyte hypertrophy in vitro. It has been shown to bind and activate the ILST/gp130 receoptor. Two transcript variants encoding different isoforms have been found for this gene.

CTF1 Antibody (C-term) - References

Robador, P.A., et al. J. Hypertens. (2010) In press : Bailey, S.D., et al. Diabetes Care (2010) In press : Limongelli, G., et al. Cytokine 50(3):245-247(2010) Zimmerman, R.S., et al. Genet. Med. 12(5):268-278(2010) Fritzenwanger, M., et al. Mediators Inflamm. 2009, 489802 (2009) :