

FNTB Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16731a**Specification**

FNTB Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	P49356
Other Accession	Q02293 , P49355 , NP_002019.1
Reactivity	Human
Predicted	Bovine, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	48774
Antigen Region	12-40

FNTB Antibody (N-term) - Additional Information**Gene ID** 100529261;2342**Other Names**

Protein farnesyltransferase subunit beta, FTase-beta, CAAX farnesyltransferase subunit beta, Ras proteins prenyltransferase subunit beta, FNTB

Target/Specificity

This FNTB antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 12-40 amino acids from the N-terminal region of human FNTB.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FNTB Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

FNTB Antibody (N-term) - Protein Information**Name** FNTB


Function Essential subunit of the farnesyltransferase complex. Catalyzes the transfer of a farnesyl moiety from farnesyl diphosphate to a cysteine at the fourth position from the C-terminus of several proteins having the C-terminal sequence Cys-aliphatic-aliphatic-X.

FNTB Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FNTB Antibody (N-term) - Images



FNTB Antibody (N-term) (Cat. #AP16731a) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the FNTB antibody detected the FNTB protein (arrow).

FNTB Antibody (N-term) - Background

FNTB Catalyzes the transfer of a farnesyl moiety from farnesyl pyrophosphate to a cysteine at the fourth position from the C-terminus of several proteins. The beta subunit is responsible for peptide-binding.

FNTB Antibody (N-term) - References

Ganesh, S.K., et al. Nat. Genet. 41(11):1191-1198(2009)
Fontaine-Bisson, B., et al. J. Mol. Med. (2009) In press :
Zhou, J., et al. J. Biol. Chem. 284(15):9648-9655(2009)
Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) :
Olsen, J.V., et al. Cell 127(3):635-648(2006)