

ARF5 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17093C

Specification

ARF5 Antibody (Center) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB,E <u>P84085</u> <u>P84083</u>, <u>P84084</u>, <u>NP_001653.1</u> Human Mouse, Rat Rabbit Polyclonal Rabbit IgG 20530 80-108

ARF5 Antibody (Center) - Additional Information

Gene ID 381

Other Names ADP-ribosylation factor 5, ARF5

Target/Specificity

This ARF5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 80-108 amino acids from the Central region of human ARF5.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions ARF5 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ARF5 Antibody (Center) - Protein Information

Name ARF5



Function GTP-binding protein involved in protein trafficking; may modulate vesicle budding and uncoating within the Golgi apparatus.

Cellular Location

Golgi apparatus. Cytoplasm, perinuclear region. Membrane; Lipid-anchor. Golgi apparatus, trans-Golgi network membrane {ECO:0000250|UniProtKB:P84084}; Lipid-anchor {ECO:0000250|UniProtKB:P84084}

ARF5 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

ARF5 Antibody (Center) - Images

```
Ramos
72
55
36
28
-◀
17
```

ARF5 Antibody (Center) (Cat. #AP17093c) western blot analysis in Ramos cell line lysates (35ug/lane). This demonstrates the ARF5 antibody detected the ARF5 protein (arrow).





Western blot analysis of ARF5 (arrow) using rabbit polyclonal ARF5 Antibody (Center) (Cat. #AP17093c). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the ARF5 gene.

ARF5 Antibody (Center) - Background

ADP-ribosylation factor 5 (ARF5) is a member of the human ARF gene family. These genes encode small guanine nucleotide-binding proteins that stimulate the ADP-ribosyltransferase activity of cholera toxin and play a role in vesicular trafficking and as activators of phospholipase D. The gene products include 6 ARF proteins and 11 ARF-like proteins and constitute 1 family of the RAS superfamily. The ARF proteins are categorized as class I (ARF1, ARF2, and ARF3), class II (ARF4 and ARF5) and class III (ARF6). The members of each class share a common gene organization. The ARF5 gene spans approximately 3.2kb of genomic DNA and contains six exons and five introns. [provided by RefSeq].

ARF5 Antibody (Center) - References

Shiba, T., et al. Proc. Natl. Acad. Sci. U.S.A. 103(42):15416-15421(2006) Austin, C., et al. Biochemistry 41(14):4669-4677(2002) Shin, O.H., et al. Biochemistry 40(36):10846-10852(2001) Nevrivy, D.J., et al. J. Biol. Chem. 275(22):16827-16836(2000) Kondo, A., et al. Mol. Biol. Cell 11(4):1315-1327(2000)