

ZNF71 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP17470a**Specification**

ZNF71 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O9NQZ8
Other Accession	NP_067039.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	54498
Antigen Region	74-101

ZNF71 Antibody (N-term) - Additional Information**Gene ID** 58491**Other Names**

Endothelial zinc finger protein induced by tumor necrosis factor alpha, Zinc finger protein 71, ZNF71, EZFIT

Target/Specificity

This ZNF71 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 74-101 amino acids from the N-terminal region of human ZNF71.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF71 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF71 Antibody (N-term) - Protein Information**Name** ZNF71

Synonyms EZFIT

Function May be involved in transcriptional regulation.

Cellular Location
Nucleus.


Tissue Location

Highly expressed in placenta, followed by brain, testis, pancreas, heart, small intestine, muscle, uterus, prostate and peripheral blood leukocytes. Not detected in liver, lung, colon, stomach, salivary and thyroid gland

ZNF71 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF71 Antibody (N-term) - Images

ZNF71 Antibody (N-term) (Cat. #AP17470a) western blot analysis in human placenta tissue lysates (35ug/lane). This demonstrates the ZNF71 antibody detected the ZNF71 protein (arrow).

ZNF71 Antibody (N-term) - Background

ZNF71 may be involved in transcriptional regulation.

ZNF71 Antibody (N-term) - References

Grimwood, J., et al. Nature 428(6982):529-535(2004)

Mataki, C., et al. J. Atheroscler. Thromb. 7(2):97-103(2000)
Lichter, P., et al. Genomics 13(4):999-1007(1992)
Aubry, M., et al. Genomics 13(3):641-648(1992)
Bray, P., et al. Proc. Natl. Acad. Sci. U.S.A. 88(21):9563-9567(1991)