

GPR62 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18090a**Specification**

GPR62 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O9BZJ7
Other Accession	NP_543141.3
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	37614
Antigen Region	61-87

GPR62 Antibody (N-term) - Additional Information**Gene ID** 118442**Other Names**

Probable G-protein coupled receptor 62, G-protein coupled receptor GPCR8, hGPCR8, G-protein coupled receptor KPG_005, GPR62

Target/Specificity

This GPR62 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 61-87 amino acids from the N-terminal region of human GPR62.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GPR62 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

GPR62 Antibody (N-term) - Protein Information**Name** GPR62

Function Orphan G-protein coupled receptor. Constitutively activates the G(q/11)/inositol phosphate and the G(s)-alpha/cAMP signaling pathways (PubMed:[28827538](#)). Has spontaneous activity for beta-arrestin recruitment (PubMed:[28827538](#)). Shows a reciprocal modulation of signaling functions with the melatonin receptor MTNR1B most likely through receptor heteromerization (PubMed:[28827538](#)).

Cellular Location

Cell membrane; Multi-pass membrane protein. Endosome membrane; Multi-pass membrane protein. Note=Colocalizes with ARRB2 in the endosome (PubMed:[28827538](#)).

Tissue Location


Expressed in brain; detected in the basal forebrain, frontal cortex, caudate, putamen, thalamus and hippocampus

GPR62 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GPR62 Antibody (N-term) - Images



GPR62 Antibody (N-term) (Cat. #AP18090a) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the GPR62 antibody detected the GPR62 protein (arrow).

GPR62 Antibody (N-term) - Background

G protein-coupled receptors (GPCRs, or GPRs) contain 7 transmembrane domains and transduce extracellular signals through heterotrimeric G proteins.

GPR62 Antibody (N-term) - References

Takeda, S., et al. FEBS Lett. 520 (1-3), 97-101 (2002) :

Lee, D.K., et al. Brain Res. Mol. Brain Res. 86 (1-2), 13-22 (2001) :