

M CCNB1 Antibody (Center S123/S125)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20408c

Specification

M CCNB1 Antibody (Center S123/S125) - Product Information

Application IHC-P, WB,E **Primary Accession** P24860 Other Accession 008301 Reactivity Mouse Predicted Hamster Host Rabbit Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 48052 Antigen Region 103-130

M CCNB1 Antibody (Center S123/S125) - Additional Information

Gene ID 268697

Other Names

G2/mitotic-specific cyclin-B1, Ccnb1, Ccn-2, Ccnb1-rs13, Cycb, Cycb1

Target/Specificity

This Mouse CCNB1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 103-130 amino acids from the Central region of mouse CCNB1.

Dilution

IHC-P~~1:25 WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

M CCNB1 Antibody (Center S123/S125) is for research use only and not for use in diagnostic or therapeutic procedures.

M CCNB1 Antibody (Center S123/S125) - Protein Information

Name Ccnb1



Synonyms Ccn-2, Ccnb1-rs13, Cycb, Cycb1

Function Essential for the control of the cell cycle at the G2/M (mitosis) transition.

Cellular Location


Cytoplasm. Nucleus. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome

M CCNB1 Antibody (Center S123/S125) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

M CCNB1 Antibody (Center S123/S125) - Images




Mouse CCNB1 Antibody (Center S123/S125)(Cat. #AP20408c) western blot analysis in mouse NIH/3T3 cell line and mouse spleen tissue lysates (35ug/lane). This demonstrates the mouse CCNB1 antibody detected the mouse CCNB1 protein (arrow).





Immunohistochemical analysis of paraffin-embedded M. testis section using M CCNB1 Antibody (Center S123/S125)(Cat#AP20408c). AP20408c was diluted at 1:25 dilution. A undiluted biotinylated goat polyvalent antibody was used as the secondary, followed by DAB staining.



Immunohistochemical analysis of paraffin-embedded M. spleen section using M CCNB1 Antibody (Center S123/S125)(Cat#AP20408c). AP20408c was diluted at 1:25 dilution. A undiluted biotinylated goat polyvalent antibody was used as the secondary, followed by DAB staining.

M CCNB1 Antibody (Center S123/S125) - Background

Essential for the control of the cell cycle at the G2/M (mitosis) transition.