

## **GBAS Antibody (Center)**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20821c

## Specification

# **GBAS Antibody (Center) - Product Information**

| Application       | WB,E          |
|-------------------|---------------|
| Primary Accession | <u>075323</u> |
| Reactivity        | Human         |
| Host              | Rabbit        |
| Clonality         | Polyclonal    |
| Isotype           | Rabbit IgG    |
| Calculated MW     | 33743         |

## **GBAS Antibody (Center) - Additional Information**

#### Gene ID 2631

**Other Names** Protein NipSnap homolog 2, NipSnap2, Glioblastoma-amplified sequence, GBAS, NIPSNAP2

#### Target/Specificity

This GBAS antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 176-210 amino acids from the Central region of human GBAS.

Dilution

#### WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GBAS Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

# **GBAS Antibody (Center) - Protein Information**

Name NIPSNAP2 {ECO:0000303|PubMed:30982665, ECO:0000312|HGNC:HGNC:4179}

**Function** Protein involved in mitophagy by facilitating recruitment of the autophagy machinery required for clearance of damaged mitochondria (PubMed:<u>30982665</u>). Accumulates on the mitochondria surface in response to mitochondrial depolarization and acts as a 'eat me' signal by



recruiting proteins involved in selective autophagy, such as autophagy receptors (CALCOCO2/NDP52, NBR1, SQSTM1/p62, TAX1BP1 and WDFY3/ALFY) and ATG8 family proteins (MAP1LC3A, MAP1LC3B, MAP1LC3C, GABARAP, GABARAPL1 and GABARAPL2) (PubMed: 30982665).

**Cellular Location** Mitochondrion matrix


**Tissue Location** Widely expressed (PubMed:9615231). Most abundant in heart and skeletal muscle (PubMed:9615231)

# **GBAS Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## GBAS Antibody (Center) - Images



Western blot analysis of lysate from human skeletal muscle tissue lysate, using GBAS Antibody (Center)(Cat. #AP20821c). AP20821c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 35ug.

# **GBAS Antibody (Center) - References**

Wang X.-Y.,et al.Genomics 49:448-451(1998). Seroussi E.,et al.Gene 212:13-20(1998). Kalnine N.,et al.Submitted (OCT-2004) to the EMBL/GenBank/DDBJ databases. Ota T.,et al.Nat. Genet. 36:40-45(2004). Ebert L.,et al.Submitted (MAY-2004) to the EMBL/GenBank/DDBJ databases.



# **GBAS Antibody (Center) - Citations**

• <u>Mitochondrial proteins NIP-SNAP-1 and -2 are a target for the immunomodulatory activity of</u> <u>clarithromycin</u>, which involves NF-κB-mediated cytokine production.