

**SNRPD1 Antibody (C-term)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP2842b****Specification**

---

**SNRPD1 Antibody (C-term) - Product Information**

|                   |                                                                          |
|-------------------|--------------------------------------------------------------------------|
| Application       | FC, IHC-P, WB,E                                                          |
| Primary Accession | <a href="#">P62314</a>                                                   |
| Other Accession   | <a href="#">P62315</a> , <a href="#">Q4R5F6</a> , <a href="#">Q3ZC10</a> |
| Reactivity        | Human                                                                    |
| Predicted         | Bovine, Monkey, Mouse                                                    |
| Host              | Rabbit                                                                   |
| Clonality         | Polyclonal                                                               |
| Isotype           | Rabbit IgG                                                               |
| Antigen Region    | 69-98                                                                    |

**SNRPD1 Antibody (C-term) - Additional Information****Gene ID** 6632**Other Names**

Small nuclear ribonucleoprotein Sm D1, Sm-D1, Sm-D autoantigen, snRNP core protein D1, SNRPD1

**Target/Specificity**

This SNRPD1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 69-98 amino acids from the C-terminal region of human SNRPD1.

**Dilution**

FC~~1:10~50

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

SNRPD1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**SNRPD1 Antibody (C-term) - Protein Information**

## Name SNRPD1

**Function** Plays a role in pre-mRNA splicing as a core component of the spliceosomal U1, U2, U4 and U5 small nuclear ribonucleoproteins (snRNPs), the building blocks of the spliceosome (PubMed:[11991638](#), PubMed:[18984161](#), PubMed:[19325628](#), PubMed:[23333303](#), PubMed:[25555158](#), PubMed:[26912367](#), PubMed:[28076346](#), PubMed:[28502770](#), PubMed:[28781166](#), PubMed:[32494006](#)). Component of both the pre-catalytic spliceosome B complex and activated spliceosome C complexes (PubMed:[11991638](#), PubMed:[26912367](#), PubMed:[28076346](#), PubMed:[28502770](#), PubMed:[28781166](#)). As a component of the minor spliceosome, involved in the splicing of U12- type introns in pre-mRNAs (PubMed:[15146077](#)). May act as a charged protein scaffold to promote snRNP assembly or strengthen snRNP-snRNP interactions through non-specific electrostatic contacts with RNA (PubMed:[23333303](#)).

## Cellular Location


Cytoplasm, cytosol. Nucleus. Note=SMN- mediated assembly into core snRNPs occurs in the cytosol before SMN- mediated transport to the nucleus to be included in spliceosomes

## SNRPD1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


## SNRPD1 Antibody (C-term) - Images



All lanes : Anti-SNRPD1 Antibody (C-term) at 1:1000 dilution Lane 1: HL-60 whole cell lysate Lane 2: K562 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 13 kDa Blocking/Dilution buffer: 5% NFDN/TBST.



Formalin-fixed and paraffin-embedded human tonsil tissue reacted with SNRPD1 Antibody (C-term) (Cat.#AP2842b), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



SNRPD1 Antibody (C-term) (Cat. #AP2842b) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

#### **SNRPD1 Antibody (C-term) - Background**

SNRPD1 is a small nuclear ribonucleoprotein that belongs to the SNRNP core protein family. This protein may act as a charged protein scaffold to promote SNRNP assembly or strengthen SNRNP-SNRNP interactions through nonspecific electrostatic contacts with RNA.

#### **SNRPD1 Antibody (C-term) - References**

Lehner, B., Genome Res. 14 (7), 1315-1323 (2004)  
Will, C.L., RNA 10 (6), 929-941 (2004)