

RECQL4 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51734**Specification**

RECQL4 Antibody - Product Information

Application	WB, E
Primary Accession	O94761
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	133 KDa

RECQL4 Antibody - Additional Information**Gene ID** 9401**Other Names**

ATP-dependent DNA helicase Q4, DNA helicase, RecQ-like type 4, RecQ4, RTS, RecQ protein-like 4, RECQL4, RECQ4

DilutionWB~~1:1000
E~~N/A**Format**

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

RECQL4 Antibody - Protein Information**Name** RECQL4**Synonyms** RECQ4 {ECO:0000303|PubMed:9878247}**Function**

An ATP-dependent DNA helicase which unwinds dsDNA with a 3'- overhang in a 3'-5' direction (PubMed:28653661). Does not unwind more than 18 bp of dsDNA (PubMed:28653661). May modulate chromosome segregation. The N-terminal domain (residues 1-54) binds DNA Y-shaped DNA better than ss- or dsDNA (PubMed:22730300). The core helicase domain binds ssDNA (PubMed:22730300, PubMed:28653661).

Cellular Location

Cytoplasm. Nucleus

Tissue Location

Ubiquitously expressed, with highest levels in thymus and testis.

RECQL4 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RECQL4 Antibody - Images**RECQL4 Antibody - Background**

DNA-dependent ATPase. May modulate chromosome segregation.

RECQL4 Antibody - References

Kitao S.,et al.Genomics 54:443-452(1998).
Kitao S.,et al.Genomics 61:268-276(1999).
Kawabe T.,et al.Oncogene 19:4764-4772(2000).
Siitonen H.A.,et al.Hum. Mol. Genet. 12:2837-2844(2003).
Yin J.,et al.Hum. Mol. Genet. 13:2421-2430(2004).