

Anti-CENPA (pS7) Antibody
Catalog # AP54111**Specification**

Anti-CENPA (pS7) Antibody - Product Information

Application	WB, IF
Primary Accession	P49450
Reactivity	Human, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	15991

Anti-CENPA (pS7) Antibody - Additional Information**Gene ID** 1058**Other Names**

Histone H3-like centromeric protein A; Centromere autoantigen A; Centromere protein A; CENP-A

Target/Specificity

Recognizes endogenous levels of CENPA with a site at pS7 protein.

Dilution

WB~~1:1000

IF~~1:50~200

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C.Stable for 12 months from date of receipt

Anti-CENPA (pS7) Antibody - Protein Information**Name** CENPA**Function**

Histone H3-like nucleosomal protein that is specifically found in centromeric nucleosomes
(PubMed:11756469,
PubMed:14667408,
PubMed:15282608,
PubMed:15475964,
PubMed:15702419,
PubMed:17651496,
PubMed:19114591,
PubMed:20739937,
PubMed:27499292,

PubMed:7962047, PubMed:9024683). Replaces conventional H3 in the nucleosome core of centromeric chromatin that serves as an assembly site for the inner kinetochore (PubMed:18072184). The presence of CENPA subtly modifies the nucleosome structure and the way DNA is wrapped around the nucleosome and gives rise to protruding DNA ends that are less well-ordered and rigid compared to nucleosomes containing histone H3 (PubMed:26878239, PubMed:27499292). May serve as an epigenetic mark that propagates centromere identity through replication and cell division (PubMed:15282608, PubMed:15475964, PubMed:20739937, PubMed:21478274, PubMed:26878239). Required for recruitment and assembly of kinetochore proteins, and as a consequence required for progress through mitosis, chromosome segregation and cytokinesis (PubMed:11756469, PubMed:14667408, PubMed:18072184, PubMed:23818633, PubMed:25556658, PubMed:27499292).

Cellular Location

Nucleus. Chromosome, centromere. Note=Localizes exclusively to sites of kinetochore assembly in centromeres. Occupies a compact domain at the inner kinetochore plate stretching across 2 thirds of the length of the constriction but encompassing only one third of the constriction width and height (PubMed:19114591) Phosphorylation at Ser-68 during early mitosis abolishes association with chromatin and centromeres and results in dispersed nuclear location (PubMed:25556658).

Anti-CENPA (pS7) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-CENPA (pS7) Antibody - Images

Anti-CENPA (pS7) Antibody - Background

Rabbit polyclonal antibody to CENPA (pS7)