

# ACBD3 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54669

## Specification

## **ACBD3 Polyclonal Antibody - Product Information**

Application Primary Accession Reactivity Host Clonality Calculated MW IHC-P, IHC-F, IF, ICC, E <u>O9H3P7</u> Rat Rabbit Polyclonal 60593

## **ACBD3 Polyclonal Antibody - Additional Information**

## Gene ID 64746

**Other Names** 

Golgi resident protein GCP60, Acyl-CoA-binding domain-containing protein 3, Golgi complex-associated protein 1, GOCAP1, Golgi phosphoprotein 1, GOLPH1, PBR- and PKA-associated protein 7, Peripheral benzodiazepine receptor-associated protein PAP7, Golgi resident protein GCP60, N-terminally processed, ACBD3, GCP60, GOCAP1, GOLPH1

Dilution <span class ="dilution\_IHC-P">IHC-P~~N/A</span><br \><span class ="dilution\_IHC-F">IHC-F~~N/A</span><br \><span class ="dilution\_IF">IF~~1:50~200</span><br \><span class ="dilution\_ICC">ICC~~N/A</span><br \><span class ="dilution\_E">E~~N/A</span>

Format 0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

**Storage** Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

## **ACBD3 Polyclonal Antibody - Protein Information**

#### Name ACBD3

Synonyms GCP60, GOCAP1, GOLPH1

#### Function

Involved in the maintenance of Golgi structure by interacting with giantin, affecting protein transport between the endoplasmic reticulum and Golgi (PubMed:<a

href="http://www.uniprot.org/citations/11590181" target="\_blank">11590181</a>). Involved in hormone-induced steroid biosynthesis in testicular Leydig cells (By similarity). Recruits PI4KB to the Golgi apparatus membrane; enhances the enzyme activity of PI4KB activity via its membrane



recruitment thereby increasing the local concentration of the substrate in the vicinity of the kinase (PubMed:<a href="http://www.uniprot.org/citations/27009356" target="\_blank">27009356</a>).

**Cellular Location** 

Golgi apparatus membrane; Peripheral membrane protein; Cytoplasmic side. Mitochondrion. Note=Also mitochondrial (via its interaction with PBR).

**Tissue Location** 

Ubiquitous, with highest expression in testis and ovary.

#### **ACBD3 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

**ACBD3 Polyclonal Antibody - Images**