

GBP4 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP55126**Specification**

GBP4 Polyclonal Antibody - Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q96PP9
Reactivity	Rat, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	73165

GBP4 Polyclonal Antibody - Additional Information**Gene ID** 115361**Other Names**

Guanylate-binding protein 4, 3.6.5.-, GTP-binding protein 4, GBP-4, Guanine nucleotide-binding protein 4, GBP4

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

GBP4 Polyclonal Antibody - Protein Information**Name** GBP4 {ECO:0000303|Ref.1, ECO:0000312|HGNC:HGNC:20480}**Function**

Interferon (IFN)-inducible GTPase that plays important roles in innate immunity against a diverse range of bacterial, viral and protozoan pathogens (By similarity). Negatively regulates the antiviral response by inhibiting activation of IRF7 transcription factor (By similarity).

Cellular Location

Golgi apparatus membrane. Cytoplasm Nucleus. Cytoplasm, perinuclear region.

Note=Heterodimers with GBP1, GBP2 and GBP5 localize in the compartment of the prenylated GBPs: with GBP1 in a vesicle-like compartment, with GBP2, around the nucleus and with GBP5, at

the Golgi apparatus.

GBP4 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GBP4 Polyclonal Antibody - Images