

Catalog # AP55966

GPCR LGR7 Polyclonal Antibody Purified Rabbit Polyclonal Antibody (Pab)

Specification

GPCR LGR7 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC-P, IHC-F, IF, ICC, E <u>O9HBX9</u> Rat, Bovine Rabbit Polyclonal 86975

GPCR LGR7 Polyclonal Antibody - Additional Information

Gene ID 59350

Other Names

Relaxin receptor 1, Leucine-rich repeat-containing G-protein coupled receptor 7, Relaxin family peptide receptor 1, RXFP1, LGR7

Dilution WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-P~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A<br \>ICC~~N/A<br \>ICC~~N/A<br \>E~~N/A

Format 0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

GPCR LGR7 Polyclonal Antibody - Protein Information

Name RXFP1

Synonyms LGR7

Function

Receptor for relaxins. The activity of this receptor is mediated by G proteins leading to stimulation of adenylate cyclase and an increase of cAMP. Binding of the ligand may also activate a tyrosine kinase pathway that inhibits the activity of a phosphodiesterase that degrades cAMP.

Cellular Location

Cell membrane; Multi-pass membrane protein



Tissue Location

Expressed in the brain, kidney, testis, placenta, uterus, ovary, adrenal, prostate, skin and heart. Not detected in spleen.

GPCR LGR7 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

GPCR LGR7 Polyclonal Antibody - Images