

Crk-L (phospho Tyr207) Polyclonal Antibody
Catalog # AP67801**Specification**

Crk-L (phospho Tyr207) Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	P46109
Reactivity	Human, Mouse, Rat, Monkey
Host	Rabbit
Clonality	Polyclonal

Crk-L (phospho Tyr207) Polyclonal Antibody - Additional Information**Gene ID** 1399**Other Names**

CRKL; Crk-like protein

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.

IHC-P~~N/A

IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Crk-L (phospho Tyr207) Polyclonal Antibody - Protein Information**Name** CRKL**Function**

May mediate the transduction of intracellular signals.




Crk-L (phospho Tyr207) Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Crk-L (phospho Tyr207) Polyclonal Antibody - Images



**Crk-L (phospho Tyr207) Polyclonal Antibody - Background**

May mediate the transduction of intracellular signals.