

## **HPK1 Polyclonal Antibody**

Catalog # AP70408

### **Specification**

## **HPK1 Polyclonal Antibody - Product Information**

Application
Primary Accession
Reactivity
Host
Clonality

## **HPK1 Polyclonal Antibody - Additional Information**

#### Gene ID 11184

#### **Other Names**

MAP4K1; HPK1; Mitogen-activated protein kinase kinase kinase kinase 1; Hematopoietic progenitor kinase; MAPK/ERK kinase kinase kinase 1; MEK kinase kinase 1; MEKKK 1

WB. IHC-P

**Polyclonal** 

Human, Mouse

092918

Rabbit

#### **Dilution**

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. IHC-P~~N/A

#### **Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

### **Storage Conditions**

-20°C

### **HPK1** Polyclonal Antibody - Protein Information

Name MAP4K1 (HGNC:6863)

Synonyms HPK1

## **Function**

Serine/threonine-protein kinase, which plays a role in the response to environmental stress (PubMed:<a href="http://www.uniprot.org/citations/24362026" target="\_blank">24362026</a>). Appears to act upstream of the JUN N-terminal pathway (PubMed:<a

href="http://www.uniprot.org/citations/8824585" target="\_blank">8824585</a>). Activator of the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. MAP4Ks act in parallel to and are partially redundant with STK3/MST2 and STK4/MST2 in the phosphorylation and activation of LATS1/2, and establish MAP4Ks as components of the expanded Hippo pathway (PubMed:<a

href="http://www.uniprot.org/citations/26437443" target="\_blank">26437443</a>). May play a role in hematopoietic lineage decisions and growth regulation (PubMed:<a

href="http://www.uniprot.org/citations/24362026" target="\_blank">24362026</a>, PubMed:<a href="http://www.uniprot.org/citations/8824585" target="\_blank">8824585</a>). Together with



CLNK, it enhances CD3-triggered activation of T-cells and subsequent IL2 production (By similarity).

### **Tissue Location**


Expressed primarily in hematopoietic organs, including bone marrow, spleen and thymus. Also expressed at very low levels in lung, kidney, mammary glands and small intestine

# **HPK1 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# **HPK1 Polyclonal Antibody - Images**



# **HPK1** Polyclonal Antibody - Background

Serine/threonine-protein kinase, which may play a role in the response to environmental stress.





Appears to act upstream of the JUN N-terminal pathway. May play a role in hematopoietic lineage decisions and growth regulation. Able to autophosphorylate.