

ICAD Polyclonal Antibody
Catalog # AP70451**Specification**

ICAD Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	O00273
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

ICAD Polyclonal Antibody - Additional Information**Gene ID** 1676**Other Names**

DFFA; DFF1; DFF45; H13; DNA fragmentation factor subunit alpha; DNA fragmentation factor 45 kDa subunit; DFF-45; Inhibitor of CAD; ICAD

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.

IHC-P~~N/A

IF~~1:50~200

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ICAD Polyclonal Antibody - Protein Information**Name** DFFA**Synonyms** DFF1, DFF45**Function**

Inhibitor of the caspase-activated DNase (DFF40).

Cellular Location



Cytoplasm.

ICAD Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ICAD Polyclonal Antibody - Images



ICAD Polyclonal Antibody - Background

Inhibitor of the caspase-activated DNase (DFF40).