

ND1 Polyclonal Antibody
Catalog # AP71183**Specification**

ND1 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	P03886
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

ND1 Polyclonal Antibody - Additional Information**Gene ID** 4535**Other Names**

MT-ND1; MTND1; NADH1; ND1; NADH-ubiquinone oxidoreductase chain 1; NADH dehydrogenase subunit 1

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ND1 Polyclonal Antibody - Protein Information**Name** MT-ND1**Synonyms** MTND1, NADH1, ND1**Function**

Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) which catalyzes electron transfer from NADH through the respiratory chain, using ubiquinone as an electron acceptor (PubMed:1959619). Essential for the catalytic activity and assembly of complex I (PubMed:1959619, PubMed:26929434).

Cellular Location



Mitochondrion inner membrane {ECO:0000250|UniProtKB:P03887}; Multi-pass membrane protein

ND1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ND1 Polyclonal Antibody - Images



ND1 Polyclonal Antibody - Background

Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I)

that is believed to belong to the minimal assembly required for catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone (By similarity).