

PFK-C Polyclonal Antibody
Catalog # AP71869**Specification**

PFK-C Polyclonal Antibody - Product Information

Application	WB, IHC-P, IF
Primary Accession	Q01813
Reactivity	Human, Mouse, Rat, Monkey
Host	Rabbit
Clonality	Polyclonal

PFK-C Polyclonal Antibody - Additional Information**Gene ID** 5214**Other Names**PFKP; PFKF; 6-phosphofructokinase type C; 6-phosphofructokinase; platelet type;
Phosphofructo-1-kinase isozyme C; PFK-C; Phosphofructokinase 1; Phosphohexokinase**Dilution**WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence:
1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.
IHC-P~~N/A
IF~~1:50~200**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

PFK-C Polyclonal Antibody - Protein Information**Name** PFKP**Synonyms** PFKF**Function**

Catalyzes the phosphorylation of D-fructose 6-phosphate to fructose 1,6-bisphosphate by ATP, the first committing step of glycolysis.

Cellular Location



Cytoplasm {ECO:0000255|HAMAP-Rule:MF_03184}.


PFK-C Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PFK-C Polyclonal Antibody - Images



**PFK-C Polyclonal Antibody - Background**

Catalyzes the phosphorylation of D-fructose 6-phosphate to fructose 1,6-bisphosphate by ATP, the first committing step of glycolysis.