

ZKSCAN4 Polyclonal Antibody
Catalog # AP73498**Specification**

ZKSCAN4 Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	Q969J2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

ZKSCAN4 Polyclonal Antibody - Additional Information**Gene ID** 387032**Other Names**

ZKSCAN4; ZNF307; ZNF427; Zinc finger protein with KRAB and SCAN domains 4; P373c6.1; Zinc finger protein 307; Zinc finger protein 427

Dilution

WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1/100-1/300. ELISA: 1/20000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

ZKSCAN4 Polyclonal Antibody - Protein Information**Name** ZKSCAN4**Synonyms** ZNF307, ZNF427**Function**

May be involved in the transcriptional activation of MDM2 and EP300 genes.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187, ECO:0000269|PubMed:17910948}

Tissue Location



Expressed in adult heart, brain, placenta, lung and kidney, but not in adult liver and skeletal muscle. In 17-day old embryo, detected in liver, skeletal muscle, brain, heart and small intestine.



ZKSCAN4 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZKSCAN4 Polyclonal Antibody - Images





ZKSCAN4 Polyclonal Antibody - Background

May be involved in the transcriptional activation of MDM2 and EP300 genes.