

Ox40L Polyclonal Antibody
Catalog # AP73803**Specification**

Ox40L Polyclonal Antibody - Product Information

Application	WB, IHC-P
Primary Accession	P23510
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

Ox40L Polyclonal Antibody - Additional Information**Gene ID** 7292**Other Names**

TNFSF4; TXGP1; Tumor necrosis factor ligand superfamily member 4; Glycoprotein Gp34; OX40 ligand; OX40L; TAX transcriptionally-activated glycoprotein 1; CD252

Dilution

WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Ox40L Polyclonal Antibody - Protein Information**Name** TNFSF4**Synonyms** TXGP1**Function**

Cytokine that binds to TNFRSF4. Co-stimulates T-cell proliferation and cytokine production.

Cellular Location



Membrane; Single-pass type II membrane protein.



Ox40L Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Ox40L Polyclonal Antibody - Images





Ox40L Polyclonal Antibody - Background

Cytokine that binds to TNFRSF4. Co-stimulates T-cell proliferation and cytokine production.