

NNT-1 Polyclonal Antibody
Catalog # AP74140**Specification**

NNT-1 Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	Q9UBD9
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

NNT-1 Polyclonal Antibody - Additional Information**Gene ID** 23529**Other Names**

Cardiotrophin-like cytokine factor 1 (B-cell-stimulating factor 3) (BSF-3) (Novel neurotrophin-1) (NNT-1)

Dilution

IHC-P~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

NNT-1 Polyclonal Antibody - Protein Information**Name** CLCF1**Synonyms** BSF3, CLC, NNT1**Function**

In complex with CRLF1, forms a heterodimeric neurotropic cytokine that plays a crucial role during neuronal development (Probable). Also stimulates B-cells. Binds to and activates the ILST/gp130 receptor.

Cellular Location

Secreted.

Tissue Location



Expressed predominantly in lymph nodes, spleen, peripheral blood lymphocytes, bone marrow, and fetal liver



NNT-1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NNT-1 Polyclonal Antibody - Images





NNT-1 Polyclonal Antibody - Background

Cytokine with B-cell stimulating capability. Binds to and activates the ILST/gp130 receptor.