

**Napsin A Polyclonal Antibody**  
**Catalog # AP74172****Specification**

---

**Napsin A Polyclonal Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | <b>IHC-P</b>           |
| Primary Accession | <a href="#">O96009</a> |
| Reactivity        | <b>Human</b>           |
| Host              | <b>Rabbit</b>          |
| Clonality         | <b>Polyclonal</b>      |

**Napsin A Polyclonal Antibody - Additional Information****Gene ID** 9476**Other Names**

Napsin-A (EC 3.4.23.-) (Aspartyl protease 4) (ASP4) (Asp 4) (Napsin-1) (TA01/TA02)

**Dilution**

IHC-P~~N/A

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**Napsin A Polyclonal Antibody - Protein Information****Name** NAPSA**Synonyms** NAP1, NAPA**Function**

May be involved in processing of pneumocyte surfactant precursors.

**Cellular Location**

Secreted.

**Tissue Location**




Expressed predominantly in adult lung (type II pneumocytes) and kidney and in fetal lung. Low levels in adult spleen and very low levels in peripheral blood leukocytes





**Napsin A Polyclonal Antibody - Protocols**




Provided below are standard protocols that you may find useful for product applications.





- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Napsin A Polyclonal Antibody - Images









### **Napsin A Polyclonal Antibody - Background**

May be involved in processing of pneumocyte surfactant precursors.