

# **GOLPH3 Antibody (C-term)**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP7445b

## **Specification**

# **GOLPH3 Antibody (C-term) - Product Information**

Application FC, IHC-P, WB,E

Primary Accession Q9H4A6

Other Accession
Reactivity
Ogere4, Ogere4
Human, Mouse

Predicted Rat
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 33811
Antigen Region 251-279

# GOLPH3 Antibody (C-term) - Additional Information

### **Gene ID** 64083

## **Other Names**

Golgi phosphoprotein 3, Coat protein GPP34, Mitochondrial DNA absence factor, MIDAS, GOLPH3, GPP34

# Target/Specificity

This GOLPH3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 251-279 amino acids from the C-terminal region of human GOLPH3.

#### **Dilution**

FC~~1:10~50 IHC-P~~1:50~100 WB~~1:1000

E~~Use at an assay dependent concentration.

## **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

# Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

GOLPH3 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# **GOLPH3 Antibody (C-term) - Protein Information**



### Name GOLPH3

## **Synonyms** GPP34

**Function** Phosphatidylinositol-4-phosphate-binding protein that links Golgi membranes to the cytoskeleton and may participate in the tensile force required for vesicle budding from the Golgi. Thereby, may play a role in Golgi membrane trafficking and could indirectly give its flattened shape to the Golgi apparatus. May also bind to the coatomer to regulate Golgi membrane trafficking. May play a role in anterograde transport from the Golgi to the plasma membrane and regulate secretion. Has also been involved in the control of the localization of Golgi enzymes through interaction with their cytoplasmic part. May play an indirect role in cell migration. Has also been involved in the modulation of mTOR signaling. May also be involved in the regulation of mitochondrial lipids biosynthesis.

#### **Cellular Location**

Golgi apparatus, Golgi stack membrane; Peripheral membrane protein; Cytoplasmic side. Golgi apparatus, trans-Golgi network membrane; Peripheral membrane protein; Cytoplasmic side Mitochondrion intermembrane space. Cell membrane Endosome. Note=Phosphatidylinositol 4-phosphate-binding and oligomerization participate in the recruitment onto Golgi membranes.

### **Tissue Location**


Detected in muscle fibers of patients with mitochondrial diseases; not detected in normal muscle fibers

## **GOLPH3 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


# GOLPH3 Antibody (C-term) - Images




Western blot analysis of anti-GOLPH3 Antibody (C-term)(Cat.#AP7445b) in mouse lung tissue



lysates (35ug/lane). GOLPH3 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human lung carcinoma with GOLPH3 Antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of hela cells using GOLPH3 Antibody (C-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

## GOLPH3 Antibody (C-term) - Background

The Golgi complex plays a key role in the sorting and modification of proteins exported from the endoplasmic reticulum. This protein encoded by this gene is a peripheral membrane protein of the Golgi stack and may have a regulatory role in Golgi trafficking.

# **GOLPH3 Antibody (C-term) - References**

Ota T., Suzuki Y., Nishikawa T.Nat. Genet. 36:40-45(2004) Bell A.W., Ward M.A.J. Biol. Chem. 276:5152-5165(2001) GOLPH3 Antibody (C-term) - Citations

• Overexpression of GOLPH3 is associated with poor prognosis and clinical progression in pancreatic ductal adenocarcinoma.