

**Aromatase Rabbit mAb**  
Catalog # AP75103**Specification****Aromatase Rabbit mAb - Product Information**

Application	WB, IP
Primary Accession	<a href="#">P11511</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	57883

**Aromatase Rabbit mAb - Additional Information**

Gene ID 1588

**Other Names**  
CYP19A1**Dilution**  
WB~~1/500-1/1000  
IP~~N/A**Format**  
Liquid**Aromatase Rabbit mAb - Protein Information****Name** CYP19A1 {ECO:0000303|PubMed:24705274, ECO:0000312|HGNC:HGNC:2594}**Function**

A cytochrome P450 monooxygenase that catalyzes the conversion of C19 androgens, androst-4-ene-3,17-dione (androstenedione) and testosterone to the C18 estrogens, estrone and estradiol, respectively (PubMed: [27702664](http://www.uniprot.org/citations/27702664)), PubMed: [2848247](http://www.uniprot.org/citations/2848247)). Catalyzes three successive oxidations of C19 androgens: two conventional oxidations at C19 yielding 19-hydroxy and 19-oxo/19-aldehyde derivatives, followed by a third oxidative aromatization step that involves C1-beta hydrogen abstraction combined with cleavage of the C10-C19 bond to yield a phenolic A ring and formic acid (PubMed: [20385561](http://www.uniprot.org/citations/20385561)). Alternatively, the third oxidative reaction yields a 19-norsteroid and formic acid. Converts dihydrotestosterone to delta1,10-dehydro 19- nordihydrotestosterone and may play a role in homeostasis of this potent androgen (PubMed: [22773874](http://www.uniprot.org/citations/22773874)). Also displays 2-hydroxylase activity toward estrone (PubMed: [22773874](http://www.uniprot.org/citations/22773874)). Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and reducing the second into a water molecule, with two electrons provided by NADPH via cytochrome P450 reductase (CPR; NADPH-ferrihemoprotein reductase) (PubMed: )

href="http://www.uniprot.org/citations/20385561" target="\_blank">20385561</a>, PubMed:<a href="http://www.uniprot.org/citations/22773874" target="\_blank">22773874</a>).

#### Cellular Location

Endoplasmic reticulum membrane; Multi-pass membrane protein. Microsome membrane; Multi-pass membrane protein

#### Tissue Location

Widely expressed, including in adult and fetal brain, placenta, skin fibroblasts, adipose tissue and gonads

### Aromatase Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Aromatase Rabbit mAb - Images

