

**Phospho-Histone H3 (Ser28) Rabbit mAb**  
**Catalog # AP75546****Specification**

---

**Phospho-Histone H3 (Ser28) Rabbit mAb - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IHC-P, IHC-F, ICC  |
| Primary Accession | <a href="#">P68431</a> |
| Reactivity        | Human, Mouse           |
| Host              | Rabbit                 |
| Clonality         | Monoclonal Antibody    |
| Calculated MW     | 15404                  |

**Phospho-Histone H3 (Ser28) Rabbit mAb - Additional Information****Gene ID** 8350;8351;8352;8353;8354;8355;8356;8357;8358;8968**Other Names**

H3C1

**Dilution**

WB~~1/500-1/1000

IHC-P~~N/A

IHC-F~~N/A

ICC~~N/A

**Format**

Liquid

**Phospho-Histone H3 (Ser28) Rabbit mAb - Protein Information****Name** H3C1 ([HGNC:4766](#))**Synonyms** H3FA, HIST1H3A**Function**

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

**Cellular Location**

Nucleus. Chromosome.

**Phospho-Histone H3 (Ser28) Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### Phospho-Histone H3 (Ser28) Rabbit mAb - Images



