

ADK Rabbit mAb
Catalog # AP76381**Specification**

ADK Rabbit mAb - Product Information

Application	WB, IHC-P
Primary Accession	P55263
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	40545

ADK Rabbit mAb - Additional Information**Gene ID** 132**Other Names**
ADK**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A**Format**
Liquid**ADK Rabbit mAb - Protein Information****Name** ADK ([HGNC:257](#))**Function**
Catalyzes the phosphorylation of the purine nucleoside adenosine at the 5' position in an ATP-dependent manner. Serves as a potential regulator of concentrations of extracellular adenosine and intracellular adenine nucleotides.**Cellular Location**
[Isoform 1]: Nucleus**Tissue Location**
Widely expressed. Highest level in placenta, liver, muscle and kidney.**ADK Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ADK Rabbit mAb - Images



