

NR2F2 Rabbit mAb
Catalog # AP76624**Specification**

NR2F2 Rabbit mAb - Product Information

Application	WB, IHC-P, IP
Primary Accession	P24468
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	45571

NR2F2 Rabbit mAb - Additional Information**Gene ID** 7026**Other Names**
NR2F2**Dilution**
WB~~1/500-1/1000
IHC-P~~N/A
IP~~N/A**Format**
Liquid**NR2F2 Rabbit mAb - Protein Information****Name** NR2F2**Synonyms** ARP1, TFCOUP2**Function**

Ligand-activated transcription factor. Activated by high concentrations of 9-cis-retinoic acid and all-trans-retinoic acid, but not by dexamethasone, cortisol or progesterone (in vitro). Regulation of the apolipoprotein A-I gene transcription. Binds to DNA site A. May be required to establish ovary identity during early gonad development (PubMed:29478779).

Cellular Location
Nucleus.**Tissue Location**

Ubiquitous. Expressed in the stromal cells of developing fetal ovaries (PubMed:29478779)

NR2F2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NR2F2 Rabbit mAb - Images

