

PPP2R2B Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP8600c

Specification

PPP2R2B Antibody (Center) - Product Information

Application FC, IHC-P, WB,E

Primary Accession 000005

Other Accession A1L3L9, P36877, Q00006, P54614, Q6ZWR4,

O4R8L3, O5E9O7

Reactivity Human

Predicted Bovine, Monkey, Mouse, Pig, Rabbit, Rat,

> **Xenopus Rabbit Polyclonal**

Host Clonality Rabbit IgG Isotype Calculated MW 51710 Antigen Region 104-130

PPP2R2B Antibody (Center) - Additional Information

Gene ID 5521

Other Names

Serine/threonine-protein phosphatase 2A 55 kDa regulatory subunit B beta isoform, PP2A subunit B isoform B55-beta, PP2A subunit B isoform PR55-beta, PP2A subunit B isoform R2-beta, PP2A subunit B isoform beta, PPP2R2B

Target/Specificity

This PPP2R2B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 104-130 amino acids from the Central region of human PPP2R2B.

Dilution

FC~~1:10~50 IHC-P~~1:50~100 WB~~1:1000

E~~Use at an assay dependent concentration.

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PPP2R2B Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.



PPP2R2B Antibody (Center) - Protein Information

Name PPP2R2B

Function The B regulatory subunit might modulate substrate selectivity and catalytic activity, and also might direct the localization of the catalytic enzyme to a particular subcellular compartment. Within the PP2A holoenzyme complex, isoform 2 is required to promote proapoptotic activity (By similarity). Isoform 2 regulates neuronal survival through the mitochondrial fission and fusion balance (By similarity).

Cellular Location

[Isoform 1]: Cytoplasm. Cytoplasm, cytoskeleton. Membrane

Tissue Location


Brain.

PPP2R2B Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PPP2R2B Antibody (Center) - Images




Western blot analysis of PPP2R2B Antibody (Center) (Cat. #AP8600c) in Hela cell line lysates (35ug/lane). PPP2R2B (arrow) was detected using the purified Pab.





Formalin-fixed and paraffin-embedded human brain tissue with PPP2R2B Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of hela cells using PPP2R2B Antibody (Center)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

PPP2R2B Antibody (Center) - Background

PPP2R2B belongs to the phosphatase 2 regulatory subunit B family. Protein phosphatase 2 is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. This protein is a beta isoform of the regulatory subunit B55 subfamily.

PPP2R2B Antibody (Center) - References

Rajkiewicz, M., et.al., Neurol. Neurochir. Pol. 42 (6), 497-504 (2008) Ben-Israel, H., et.al., J. Virol. 82 (19), 9381-9388 (2008) Strack, S., et.al., J. Comp. Neurol. 392 (4), 515-527 (1998)