

Cyclin A2 Antibody

Rabbit mAb Catalog # AP90837

Specification

Cyclin A2 Antibody - Product Information

Application WB, IHC, ICC

Primary Accession P20248
Reactivity Rat

Clonality Monoclonal

Other Names

CCN1; CCNA; Ccna2; Cyclin A2; Cyclin-A;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 48551 Da

Cyclin A2 Antibody - Additional Information

Dilution WB~~1:1000

IHC~~1:100~500

ICC~~N/A

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Cyclin A2

Description Cyclin A seems to be required for both

S-phase and M-phase. A number of studies

have described the ability of

over-expressed cyclin A to accellerate the G1 to S transition causing DNA replication, and cyclin A antisense DNA can prevent DNA replication. Cyclin A availability is apparently the rate-limiting step for entry into mitosis, and cyclin A is required for

completion of prophase.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Cyclin A2 Antibody - Protein Information

Name CCNA2 (HGNC:1578)

Function

Cyclin which controls both the G1/S and the G2/M transition phases of the cell cycle. Functions through the formation of specific serine/threonine protein kinase holoenzyme complexes with the cyclin- dependent protein kinases CDK1 or CDK2. The cyclin subunit confers the substrate



Tel: 858.875.1900 Fax: 858.875.1999

specificity of these complexes and differentially interacts with and activates CDK1 and CDK2 throughout the cell cycle.

Cellular Location


Nucleus. Cytoplasm. Note=Exclusively nuclear during interphase (PubMed:1312467). Detected in the nucleus and the cytoplasm at prophase (PubMed:1312467). Cytoplasmic when associated with SCAPER (PubMed:17698606).

Cyclin A2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Cyclin A2 Antibody - Images



Western blot analysis of Cyclin A2 expression in Jurkat cell lysate.