

Histone H3 Antibody Rabbit mAb Catalog # AP91018

## **Specification**

# Histone H3 Antibody - Product Information

Application Primary Accession Reactivity Clonality <b>Other Names</b> Histone H3.1, Histone H3, HIST1H3A;	WB, IHC, FC, ICC <u>P68431</u> Rat Monoclonal
lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	15404 Da

### **Histone H3 Antibody - Additional Information**

Dilution	WB~~1:1000 IHC~~1:100~500 FC~~1:10~50 ICC~~N/A
Purification Immunogen	Affinity-chromatography A synthesized peptide derived from human Histone H3
Description	Belongs to the histone H3 family. Play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

### **Histone H3 Antibody - Protein Information**

Name H3C1 (<u>HGNC:4766</u>)

Synonyms H3FA, HIST1H3A

#### Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby



play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.


Cellular Location Nucleus. Chromosome.

# **Histone H3 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## Histone H3 Antibody - Images



Western blot analysis of Histone H3 expression in (1) HeLa cell lysate; (2) NIH/3T3 cell lysate; (3) Rat brain lysate.